QUICK REFERENCE GUIDE > BH1-48RI-L Date: 17.12.2024 > 1

48" Series 7 with Infrared Sear Burner, LPG

Series 7

Stainless Steel | LPG




Taking your grilling experience to the next level, this Series 7 builtin 48" grill provides the ultimate grilling space for premium outdoor kitchens.

- Infrared sear burner for incredibly fast searing up to 24,000 BTU/hr
- · Cater for a crowd with the secondary cooking surface
- Build into an outdoor BBQ island, or add a cart for a freestanding grill
- U-burners deliver 25,000 BTU/hr total power per burner with precise heat control from 300°F to 1100°F

DIMENSIONS

Height 24 1/4 "
Width 47 7/8 "
Depth 26 5/8 "



FEATURES & BENEFITS

The Perfect Sear

A dedicated searing zone with a dynamic infrared burner allows you to experience a new level of versatility, using a range of cooking methods. The improved dual rail design offers increased control and faster heating, so you can achieve the perfect sear every time.

Smart Beam™ Grill Light

A halogen light is designed to illuminate the entire cooking surface, ideal for night-time grilling.

Heavy-Duty Infrared Rotisserie

An infrared rotisserie burner provides controlled searing heat up to 18,000BTU. Perfect for entertaining, the heavy-duty motor can easily turn a 50lb load. The rotisserie rod is conveniently stored under the drip pan handle.

Temperature Gauge

Designed for monitoring internal air temperature, the temperature gauge lets you know exactly how hot the grill is perfect for cooking pizzas or preparing roast meals.

Dual-Sided Grate

One side has a gentle radius for handling delicate foods, such as chicken, fish and vegetables. The other side is W-shaped for perfect sear lines while channeling oil away to an easily removable drip tray.

Extra Cooking Area

Effortlessly cook for a crowd with a secondary cooking space. You can fit a grill pan for slow cooking, roasting and making sauces, or to keep food warm after searing.

Grease Management System™

Our Grease Management System™ reduces flare-ups by channelling grease and oils away from the burner flames during grilling.

SPECIFICATIONS

Accessories (sold separately)

6" accessory storage	ASH6-48
Built-in grill cover	ACBI-48
Griddle plate	BGC-GP



QUICK REFERENCE GUIDE > BH1-48RI-L Date: 17.12.2024 > 2

Insulated jacket	BGA48-IJS (optional)	Material	304 grade stainless steel	Product Dimensions
Insulated jacket (with storage accessory unit)	BGA54-IJS (optional)	Weather resistant	•	Packaged weight 348 lbs Width including rotisserie 56 3/8 "
On cart grill cover	ACC-48			
Optional cart mount	CAD1-48	Gas Requirements		
		1/2" NPT male with 3/8" in flare adapter	•	SKU 71596
Burners		Gas type	LPG	
		LP hose with regulator and Type 1 connector	•	
Number of U-burners	3	Operational pressure	11" W.C.	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these
Sear burner zone	·	Supply pressure	12" to 14" W.C.	dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page
Cooking Surface Area		Installation Dimensions		correctly describes the model currently available. © DCS by Fisher & Paykel Appliances Limited 2020
Primary cooking area	855 sq.in.	Cutout depth (proud)	22 3/4 "	
Total cooking area	1182 sq.in.	Cutout height (proud)	10 1/8 "	Other product downloads available at dcsappliances.com
Warming rack area	327 sq.in.	Cutout width (proud)	45 3/4 "	
		Insulated jacket for proud cut-out	Varies - check	→ Data Sheet Grill
		·	manual	Data Sheet Grill with ASH648 Storage Unit
Features				→ Data Sheet Grill with BGA48-IJS Insulated Jacket
Double sided Stainless Steel grilling grates	•			↓ Installation Guide Grill EN
Full surface searing	•	Performance		✓ Guide d'installation FR✓ Guía de instalación SP
Grease management system™	•	Rotisserie burner power	18000 BTU	
Hood temperature gauge	•	Sear burner power	24000 BTU	Kitchen
Ignition system	Spark	Total Power	117000 BTU	→ Planning Guide FR - Professional Grills Series 7 Outdoor Kitchen
Metal dials	•	U-burner power	25000 BTU	
Rotisserie	•	Weight rotisserie can handle	50 lbs	Kitchen
Warming rack	•			Service and Warranty
Wireless temperature sensor compatible	•			User Guide Grill EN
		Power Requirements		↓ Guide d'utilisation FR
Finish		Grill power supply	9V Battery for Ignition	
		Rotisserie power supply	120V 60Hz	



QUICK REFERENCE GUIDE > BH1-48RI-L Date: 17.12.2024 > 3

A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.dcsappliances.com